

Double Hung, Hidden Balance



- Section Details : Operating/Stationary, 5 1/4 Jamb, Traditional Sash
- Section Details : Operating/Stationary, 6 9/16 Jamb, Traditional Sash
- Section Details : Operating/Stationary, 4 9/16 Jamb, Traditional Sash
- Section Details : Insert, 4 3/8 Jamb, Traditional Sash
- Section Details : Sash Profiles & SDL Options
- Section Details : Mull Sections
- Section Details : Sill Options
- Section Details : Exterior Trim Options
- Section Details : Nail Fin Options

Double Hung, Hidden Balance



Section Details : Block & Tackle, 5 1/4" Jamb

Traditional Sash
1/2" Long Bead Detail

SCALE: 3" = 1'-0"



Stationary





Double Hung, Hidden Balance


Section Details : Block & Tackle, 6 9/16" Jamb

Traditional Sash
1/2" Long Bead Detail


SCALE: 3" = 1'-0"



Stationary



Jamb







Double Hung, Hidden Balance

Section Details : Block & Tackle, 4 9/16" Jamb

Traditional Sash
3/8" Long Bead Detail

SCALE: 3" = 1'-0"




Double Hung, Hidden Balance




Section Details : Block & Tackle Insert, 4 3/8" Jamb

SCALE: 3" = 1'-0"

Traditional Sash
1/2" Long Bead Detail



Jamb



Adjustable sill angle from 5 - 14 degrees


Head & Sill

Double Hung, Hidden Balance


Section Details : Sash Profiles & SDL Options

SCALE: 3" = 1'-0"


Sash Profiles & SDL Options




1/2" Long Bead Interior/Bevel Bead Exterior



1/2" Long Bead Interior/Long Bead Exterior



3/8" Long Bead Interior/Bevel Bead Exterior *




3/8" Long Bead Interior/Long Bead Exterior *

*With 1-3/8 Sash, 4-9/16" Jamb Only


Double Hung, Hidden Balance

Section Details : Mull Sections


SCALE: 3" = 1'-0"



Standard Stack Mull



4" Spread Mull




4" Space Mull


Double Hung, Hidden Balance

Section Details : Sill Options

SCALE: 3" = 1'-0"



Standard Subsill (2814)




True Subsill Match (2816)


Double Hung, Block & Tackle

Section Details : Exterior Trim Options


SCALE: 3" = 1'-0"




Brickmold Casing




1 x 4 Casing w/ Backband




1 x 5 Casing w/ Backband




1 x 6 Casing w/ Backband



5/4 x 4 Casing



5/4 x 5 Casing



5/4 x 6 Casing



Double Hung, Block & Tackle





Section Details : Nail Fin Options

SCALE: 3" = 1'-0"

Flush Fin



1 5/16 Setback Nail Fin*
*Not compatible with brickmold or subsills



Nailfin applied to head and sides only